

Q-CATCH®

74 SERIES



ARROWQUIP

WHY ARROWQUIP?

The 400 Series cattle crushes were created to provide practical farmers with straightforward cattle handling solutions that do not compromise safety and quality for affordability. Unlike anything else in the market, Arrowquip's 400 Series crush lineup gives farmers the opportunity to step up their operation using equipment designed with precision engineering and animal science.

MODEL: DELUXE VET [7400]

WEIGHT: 884 kg

DIMENSIONS: 1423mm w x 2413mm h x 3302mm l

MODEL: STANDARD [7400MR]

WEIGHT: 771 kg

DIMENSIONS: 1423mm w x 2413mm h x 1616mm l


THE EASIEST WAY TO IMPROVE YOUR FARM

The Q-Catch 74 Series cattle crush is the easiest way to boost your operation's efficiency. With quality features inspired by the world famous 600 Series cattle crushes, the Q-Catch 74 Series gives you practicality and efficient engineering combined. Complete with the same patented auto-locking mechanisms, full access points, and user-friendly features, this manual squeeze crush has earned its place in the Q-Catch family.

PRODUCT WARRANTY

- Manual cattle crush - **7 YEARS**
- Patented yoke gate friction locks – **LIFETIME**
- Patented squeeze friction locks – **LIFETIME**
- Rump fingers – **LIFETIME**

Products must be registered to claim warranty. Contact your Authorised Arrowquip Dealer for more information.





3E Q-CATCH YOKE GATE [PATENTED]

- Uses light to draw cattle into the crush
- Barred style allows cattle to see light past the yoke gate
- Patented locking mechanism features infinite adjustments
- Self-lubricating yoke gate rollers are maintenance-free
- Opens to a full 736mm top to bottom
- Single lever push-to-close, pull-to-open operation never requires adjustments


YOKE GATE OPERATION HANDLE

- User-friendly handle that reduces operator's fatigue
- Handle can be situated anywhere along the side of the crush



DIRECT DRIVE SYSTEM [PATENT-PENDING]

- Enhanced design provides a direct connection from the control tube to the yoke gate
 - Provides instant yoke gate response time
 - Yoke gate operation can be easily converted* to the opposite side
- *Requires additional parts. See product manual.



**REMOVABLE AND
CONFIGURABLE
IN 7 WAYS**

RUMP FINGERS

- Nylon rump fingers designed to endure high pressure
- Includes a heavy-duty rubber-coated fiberglass rump bar that is light and slip-resistant

TB ACCESS [PATENT-PENDING]

- Drop-down needle bar allows for quick access to the neck
- Completely removable panel


FLOORING [PATENT-PENDING]

- Made with industry-grade American steel
- Designed with slots for drainage and easy cleaning
- Secured with stainless steel structural rivets used in aircrafts

**RIBBED STEEL FLOOR
PROVIDES GREAT TRACTION
FOR LIVESTOCK**

**324MM OF ACCESS
TOP TO BOTTOM**

**CAN BE USED INDEPENDENTLY
OR TOGETHER**



SQUEEZE

- Single lever push-pull operation
- Designed to work with cattle of any size
- Patented lockbox on the squeeze offers infinite adjustments - **LIFETIME WARRANTY**

ROLLING TAIL GATE

- Reversible offside & onside operation
- Top-mounted to eliminate the issue of build-up



MOUNT BRACKETS

- Allows you to place the crush on load bars for weighing cattle
- Can be used to secure the crush to the ground with bolts

VET DOOR

- Improved slam latch ensures the door won't swing through when slammed shut

SWINGS 180° IN & OUT

ADD-ONS



CHIN BAR

The chin bar is a simple add-on that raises the chin when access to the head is needed.



STERNUM BAR

The sternum bar prevents cattle from going down in the crush. The improved design is sheeted to prevent hoof traps, and is easily installed or removed with 2 bolts.



3RD GENERATION HEAD SCOOP

[PATENTED]

The head scoop is a sturdy mechanism that clamps around the animal's neck and holds the head immobile. The head scoop features single-lever push pull operation, and simplifies any procedure requiring access to the animal's head. The 3rd generation head scoop is more heavy-duty than previous models, and features new mechanical connections.



CLIPPING RAIL

The clipping rail provides added safety when clipping cattle. You can adjust the position and angle of the bar along the side of the crush to suit your needs.

Arrowquip was founded in 1988 by the Firth family in Australia with the mission "To influence the livestock handling industry globally through the practical application of animal science and welfare standards, and increase producer safety and profitability with innovative equipment". This inspiration came while working cattle on their family farm in Australia, due to the challenges they encountered with the lack of quality livestock handling solutions available to farmers. As a forward-thinking family, they began to develop solutions to fill this gap in the market, and have been providing the high-quality livestock handling equipment producers are seeking ever since.

Arrowquip is the only manufacturer to employ a full-time team of engineers dedicated specifically to cattle handling in our industry. Every

piece of equipment we develop undergoes an extensive development period in which our R&D Team exhausts every possible avenue to make our equipment the best it can be for the handler to work their livestock. As a result, our equipment is recognized worldwide as the most innovative and thoughtfully designed livestock equipment in the market today.

In the last 30 years, Arrowquip has become a world-renowned manufacturer of cattle handling solutions known for their innovative designs, technological advancements, investment in animal science, and forward-thinking equipment. Our years of research, equipment development process, extensive testing periods, and the refusal to settle for "good enough" have set a new precedent within the livestock handling industry.

